

TRUSS CATALOG

The fasteners you need,
the service you deserve.



JENSEN
FASTENERS



Timber Drive™ Structural Screw Fastening System

A revolutionary tool for stand-up operation while driving large structural screws.

APPLICATIONS

- Decks
- Wharfs & Docks
- Wooden Bridges
- Boardwalks
- Mass Timber Wood
- Metal Spline Connections
- Mass Timber Lap Joints
- Multi-ply Truss Assemblies
- And more!

KEY FEATURES

- Works with corded or cordless motors
- Adjustable countersink depth with expanded depth settings for high-density flooring
- Length adjustment for 3"-6 1/4" screws
- Diameter adjustment for #10-#12, #14-0.315", 0.316"-0.394" shanks
- Gravity-feed mechanism for quick and easy loading
- Configurable nosepiece for face fastening wood surfaces or metal connector-to-wood fastening



The fasteners you need,

COIL NAILS

LENGTH	SHANK	COATING	SHANK TYPE	M/CTN	PLT QTY
3"	0.131"	Bright	Smooth Shank	4M	35 CTN

HAND-DRIVE SINKER NAILS

LENGTH	SIZE	COATING	SHANK TYPE	WT/CT	QTY/LB	PLT QTY
2-1/2"	8D	Vinyl-Coated	Smooth Shank	50 lbs	~141/lb	48
3"	10D	Vinyl-Coated	Smooth Shank	50 lbs	~111/lb	48
3-1/2"	16D	Vinyl-Coated	Smooth Shank	50 lbs	~62/lb	48

STRIP NAILS

LENGTH	SHANK	COATING	SHANK TYPE	M/CTN	PLT QTY
2-3/8"	0.113"	Bright	Ring, Screw, or Smooth	5M	64 CTN
3"	0.131"	Bright	Ring, Screw, or Smooth	4M	48 CTN
3-1/4"	0.131"	Bright	Ring, Screw, or Smooth	4M	48 CTN
5-1/8"	0.150"	Bright	Screw or Smooth	1.25M	-

HY-TEK SCREW NAILS



LENGTH	SHANK	COATING	SHANK TYPE	M/CTN	SKU
2-1/4"	0.120"	Bright or Hot Dipped	Screw Shank	3M	#120M22
3"	0.148"	Bright or Hot Dipped	Screw Shank	3M	#14830
3-1/2"	0.148"	Bright or Hot Dipped	Screw Shank	3M	#14834
4"	0.148"	Bright or Hot Dipped	Screw Shank	3M	#14840
5"	0.148"	Bright or Hot Dipped	Screw Shank	3M	#14850

METAL CONNECTOR NAILS a.k.a. "Teco" Nails

LENGTH	SHANK	COATING	M/CTN
1-1/2"	0.131"	Bright Hot Dipped Galvanized	4M
1-1/2"	0.148"	Bright Hot Dipped Galvanized	3M
2-1/2"	0.131"	Bright Hot Dipped Galvanized	2.5M
2-1/2"	0.148"	Bright Hot Dipped Galvanized	2.5M
2-1/2"	0.162"	Bright Hot Dipped Galvanized	2M

the service you deserve.



MEDIUM CROWN STAPLES

LENGTH	GAUGE	CROWN	COATING	M/CTN	PLT QTY	SKU
3/4"	16 GA	7/16"	Galvanized	10M	105 CTN	#N11
7/8"	16 GA	7/16"	Galvanized	10M	120 CTN	#N12
1"	16 GA	7/16"	Galvanized	10M	96 CTN	#N13
1-1/8"	16 GA	7/16"	Galvanized	10M	84 CTN	#N14
1-1/4"	16 GA	7/16"	Galvanized	10M	96 CTN	#N15
1-3/8"	16 GA	7/16"	Galvanized	10M	80 CTN	#N16
1-1/2"	16 GA	7/16"	Galvanized	10M	80 CTN	#N17
1-3/4"	16 GA	7/16"	Galvanized	10M	64 CTN	#N19
2"	16 GA	7/16"	Galvanized	10M	64 CTN	#N21
Similar to Senco N/Bostitch 16s5						
2"	15 GA	7/16"	Galvanized	10M	-	#Q21G
2-1/2"	15 GA	7/16"	Galvanized	10M	-	#Q25G
Similar to Senco Q-Wire						
1/2"	20 GA	1/2"	Galvanized	"Lumber Tagging"	15M	#F08BAAN

SENCO	SENCO	SENCO	JITOO	JITOO
				
NS20XP Medium Crown Stapler	SFT10XP-F F-Wire Stapler	PS15RXP Wide Crown Stapler	TRS25S Wide Crown Stapler	JPS38R Wide Crown Stapler
5.1 lbs	2.1 lbs	5.5 lbs	5.4 lbs	5.3 lbs
Single + Rapid Fire	Single Fire	Rapid Fire	Single + Rapid Fire	Rapid Fire
1" - 2"	3/16" - 5/8"	5/8" - 1-1/2"	1/2" - 1"	3/4" - 1-1/2"



The fasteners you need,

WIDE CROWN STAPLES

Similar to Senco P-Wire

LENGTH	GAUGE	CROWN	COATING	M/CTN	SKU
3/4"	16 GA	1"	Galvanized	10M	#P11
7/8"	16 GA	1"	Galvanized	10M	#P12
1"	16 GA	1"	Galvanized	10M	#P13
1-1/8"	16 GA	1"	Galvanized	10M	#P14
1-1/4"	16 GA	1"	Galvanized	10M	#P15
1-3/8"	16 GA	1"	Galvanized	10M	#P16
1-1/2"	16 GA	1"	Galvanized	10M	#P17
7/8"	14 GA	15/16"	High Tensile Galvanized	10M	#2407PG-10M

SIMPSON TRUSS SCREWS

SIMPSON
Strong-Tie



LENGTH	SHANK	COATING	QTY	SKU
3"	0.220"	E-coat® Electrocoating	950	#SDW22300
4-3/8"	0.220"	E-coat® Electrocoating	600	#SDW22438
4-5/8"	0.220"	E-coat® Electrocoating	600	#SDW22458
6"	0.220"	E-coat® Electrocoating	500	#SDW22600
6-3/8"	0.220"	E-coat® Electrocoating	500	#SDW22638

Goes with Timber Drive Screwgun (pg. 1)

SPOTNAILS®



M1S2440
Wide Crown Stapler

6.15 lbs
Rapid Fire
7/8" - 1-1/2"



Fine Wire Staples
3/8" x 3/8"
5M/BX | 20 BX/CS



Hammer Tacker
1-4" to 3/4"
Similar to #A11



Hex Bolts, Nuts, Washers
All sizes and finishes

the service you deserve.



EVERWIN

SN65Q
Medium Crown Stapler

6.4 lbs

Single + Rapid Fire
1-1/4" - 2-1/2"

EVERWIN

PN90
Industrial Coil Nailer

8.2 lbs

Single + Rapid Fire
2" - 3-1/2"

MAX

TA551B/16-11
16ga Medium Stapler

5.5 lbs

Rapid Fire
1" - 2"

MAX

SN883RH3
21° Framing Nailer

7.9 lbs

Single + Rapid Fire
2" - 3-1/4"

MAX

CN890F3
Framer *NEW MODEL*

8.4 lbs

Single + Rapid Fire
2" - 3-1/2"

metabo

N5008AC2
16ga Medium Stapler

4.4 lbs

Single + Rapid Fire
1" - 2"

metabo

NR83A5
21° Framing Nailer

8.8 lbs

Single + Rapid Fire
2" - 3-1/4"

metabo

NR1890DRA
18V Cordless Framing Nailer

8.4 lbs w/o battery

Single + Rapid Fire
2" - 3-1/2"

metabo

NR65AK2
36° Metal Connector

6.4 lbs

Single Fire
1-1/2" & 2-1/2"

metabo

NR1838DKA
18V Metal Connector

7.5 lbs w/o battery

Single Fire
1-1/2"

Milwaukee

2744-20
21° Framing Nailer

9.4 lbs w/o battery

Single + Rapid Fire
2" - 3-1/2"

BOSTITCH

MCN250
Metal Connector Nailer

6 lbs.

Single Fire
1-1/2" - 2-1/2"

BOSTITCH

F21PL
21° Framing Nailer

8.1 lbs

Single + Rapid Fire
1-1/2" - 3-1/2"

BOSTITCH

BRT130
Timber Framing Nailer

13.7 lbs

Single Fire
3-1/2" - 5-1/8"

**SENCO TOOL OIL**

Available in:
8 oz., 32 oz., 1 gal.



The fasteners you need,

COMPRESSORS

ROLAIR #4090HK17 | Wheeled Gas Compressor


Horse Power	163 cc (5.5 HP)
CFM Displaced	13.1 CFM
CFM Delivered	9.3 CFM @ 90 PSI
Weight	185 lbs.
Tank Capacity	9 Gallons



#4090HK17

ROLAIR #6590HK18 | Wheeled Gas Compressor

Horse Power	196 cc (6.5 HP)
CFM Displaced	17.9 CFM
CFM Delivered	13.8 CFM @ 90 PSI
Weight	190 lbs.
Tank Capacity	9 Gallons



#6590HK18

ROLAIR #7722HK28 | Wheeled Gas Compressor

Horse Power	280 cc (9 HP)
CFM Displaced	20.3 CFM
CFM Delivered	17.0 CFM @ 90 PSI
Weight	285 lbs.
Tank Capacity	9 Gallons



#7722HK28

ROLAIR #H10312K60* | Two-Stage Industrial

Horse Power	10 HP
CFM Displaced	40.2-41.1 CFM @ 175 PSI
CFM Delivered	29.4-33.7 CFM @ 175 PSI
# of Cylinders	2
Type	Stationary Electric



#H10312K60*

*Special order item only.

AUTHORIZED ROL-AIR REPAIR CENTER



Repairs starting
at \$40.50 + parts
[www.jensenfasteners.com/
tool-repair/](http://www.jensenfasteners.com/tool-repair/)



the service you deserve.





#150U
1/4" Female
Universal Coupler



#5906L
3/8" Male Auto
Coupler



#1601
1/4" x 1/4" MPT
Male Auto Coupler



#LRM0404
1/4" x 1/4" MPT
Threaded End



#TRI SOURCE AUTO
Aluminum Round
Manifold

AIR HOSE



Flexeel



Spotnails



Yellow Belly



Senco ProFlex


SKU	DIAMETER	LENGTH	MPT	BRAND	DESCRIPTION
#PFE40504T	1/4"	50 FT	1/4"	Flexeel	Reusable Strain Relief Fittings
#PFE41004T	1/4"	100 FT	1/4"	Flexeel	Reusable Strain Relief Fittings
#PFE60506T	3/8"	50 FT	3/8"	Flexeel	Reusable Strain Relief Fittings
#PFE601006T	3/8"	100 FT	3/8"	Flexeel	Reusable Strain Relief Fittings
#PC0041	1/4"	Custom	1/4"	Spotnails	Push-Lok Plus Multipurpose
#PC0042	3/8"	Custom	3/8"	Spotnails	Push-Lok Plus Multipurpose
#YB40504Y	1/4"	50 FT	1/4"	Yellow Belly	PVC Hybrid Hose
#YB41004Y	1/4"	100 FT	1/4"	Yellow Belly	PVC Hybrid Hose
#YB60504Y	3/8"	50 FT	1/4"	Yellow Belly	PVC Hybrid Hose
#YB61004Y	3/8"	100 FT	1/4"	Yellow Belly	PVC Hybrid Hose
#PC0979	3/8"	50 FT	3/8"	Senco	ProFlex

WE FIX HOSES!



The fasteners you need,

SKIL



BIG FOOT

#SPT70WM-01 "Big Foot"

10-1/4" blade

16.45 lbs

Corded

#SPT77WML-01

7-1/4" blade

11.5 lbs

Corded

metabo



#C3607DWA

7-1/4" blade

8.2 lbs

Cordless w/ Battery + Charger



CIRCULAR SAW

#D0624A	6-1/2", 24 TH
#D0641X	6-1/2", 40 TH
#D0724A	7-1/4", 24 TH
#D0740A	7-1/4", 40 TH
#D1040W	10-1/4", 40 TH



6", Dual Tooth, 14/18 TPI



9", Variable Tooth, 4/6 TPI



9", Dual Tooth, 14/18 TPI




#34X023-SD | Steel Strapping

3/4" x .020, Regular Duty

5/8" Open Seal

5/8" x 1", Standard Duty
Galvanized



#58X035-POLY | PET Strapping

5/8" x 0.35, 4K FT, Smooth

1/2" Open Seal

1-2" x 1-1/4", Standard Duty
Galvanized



#HW1880C | Hand Film


80 GA. x 18"

1500 FT


4 Rolls/Box

the service you deserve.






#LC-650
Rock Hard Dial
Lock Blade Lock



#11151
Hinge-Loc
Retractable Knife



#LCB-65
Rock Hard Blade
10 pack



H-D Utility Blade
#11172
5 pack
#333-C
100 pack



EXTENSION CORDS

Available In: 25', 50', 100'

12/3 AWG 15A
3-prong, Heavy-Duty



#15400
Clear Anti-Fog



#1100
Single or 200pk
Ear Plugs



#C122 12pk
#2300S S
#2300M M
#2300L L
#2300XL XL



FATMAX-16
16 FOOT
FATMAX-25
25 FOOT

#313CLC
Heavy-Duty
Leather Knee
Pads



#STLHDL-S
18" Handle



#STLHDL-C
18" Curved Handle



#TI14MC/S
Stiletto 14 oz.
Curved or Straight



#1650
Dalluge 16 oz.
Trim Hammer



#11600
Vaughan 19 oz.
Framer



The fasteners you need,

TOOL REPAIR

In-house. On-site.

Authorized Warranty Service Center:

DEWALT

Milwaukee

SENCO

ROLAIR

Makita **metabo**



DELIVERY

\$1,000 minimum order within a 50-mile radius.

ARDEN-ARCADE • CARMICHAEL • RANCHO CORDOVA •
CITRUS HEIGHTS • ELK GROVE • ROSEVILLE • ROCKLIN •
FOLSOM • VACAVILLE • YUBA CITY



VENDOR MANAGED INVENTORY (VMI)

We'll keep you stocked with the essentials, so you never have to worry about running out of supplies.



LOAN-TOOL PROGRAM

Customers who meet minimum order requirements can enjoy loan tools and on-site repair at significantly discounted rates.



the service you deserve.





JENSEN
FASTENERS

916.739.1227

7935 14th Ave.

Sacramento, CA 95826

sales@jensenfasteners.com



WE DELIVER!



www.JensenFasteners.com



@JensenFasteners



@Jensen Fasteners, Inc.



@Jensen Fasteners, Inc.

